

M

24989

N:

QV740

BA1

1914

G78P

M24939



22101896132

L. L. Gibruth M. B. R.
Jan. 1918

M. 161 (Established Oct. 1898).
(Revised Jan.. 1914.)

PRESCRIPTION FORMULÆ

FOR

USE IN NAVAL HOSPITALS.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY EYRE AND SPOTTISWOODE, LTD.,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1914.

M.D.G. 1173/98.
M.D. 6116/09.
Sta. 174/13.

24 562 675

M24989

WELLCOME INSTITUTE LIBRARY	
Coll.	welMomec
Call	N:
No.	QV 740
	.BA1
	1914
	G78p



Digitized by the Internet Archive
in 2017 with funding from
Wellcome Library

<https://archive.org/details/b2899663x>

FORMULÆ.

AQUA CHLORBUTOLIS.

Chlorbutol	1
Distilled Water	250

About one-half saturated solution.

COLLODIUM SALICYLICUM.

Salicylic Acid	12·00
Extract of Indian Hemp . . .	2·00
Flexible Collodion to produce	100·00

COLLUTORIUM ACIDI CARBOLICI.

Potassium Chlorate	20 grains.
Carbolic Acid	1 grain.
Glycerin	30 minims.
Water	to 1 ounce.

Half an ounce in a tumblerful of hot water as a mouth-wash.

COLLYRIUM BORACIS.

Borax	20 grains.
Sodium Bicarbonate . . .	20 grains.
Sugar	20 grains.
Distilled Water to	1 ounce.

CREMOR MERCURIALIS.

Synonym : Injectio Mercurialis.

Mercury	20·00 by weight.
Anhydrous Wool Fat .	30·00 by weight.
Chlorbutol	2·00 by weight.
Liquid Paraffin	
to produce 100·00 by measure.	

DECOCTUM HORDEI.

Pearl Barley (washed) . . .	2 ounces.
Water	1½ pints.

Boil for 20 minutes and strain about 1 pint.

DENTIFRICUM.

Powdered Hard Soap . . .	14 ounces.
Powdered Orris Root . . .	21 ounces.
Precipitated Chalk	7 pounds.
Heavy Magnesium Carbonate	7 pounds.
Oil of Eucalyptus	7 drachms.
Oil of Lavender	7 drachms.
Oil of Cloves	4 drachms.
Carmine (in solution) . . .	Q.S.

ELIXIR GLUSIDI.

Gluside	4 ounces.
Sodium Bicarbonate . . .	2 ounces.
Alcohol (90 per cent.) . . .	9 ounces.
Distilled Water . to produce	73 ounces.

ELIXIR GLUSIDI COMPOSITUM.

Tincture of Benzoin . . .	16 ounces.
Oil of Bitter Almond . . .	2 $\frac{1}{4}$ ounces.
Chloroform	1 $\frac{1}{2}$ ounces.
Elixir of Gluside	24 ounces.
Alcohol (90 per cent.)	
to produce	80 ounces.

EMULSIO IODOFORMI (STERILIZED).

Powdered Iodoform	1 ounce.
Carbolic Acid Solution, 5 per cent.	5 ounces.
Glycerin (Sterilized)	10 ounces.

Mix the Iodoform with the Carbolic Acid Solution in a sterilized bottle, shake well and leave for 24 hours ; pour off the supernatant liquid, and add the Glycerin, shaking well together.

EMULSIO OLEI MORRHUÆ.

Cod-liver Oil	2 drachms.
Acacia Gum	$\frac{1}{2}$ drachm.
Compound Elixir of Gluside	6 minims.
Water to produce	4 drachms.

Dose, 2 to 8 drachms.

EMULSIO PETROLEI cum HYPOPHOSPHITIBUS.

Liquid Paraffin	20 minims.
Soft Paraffin (white)	$2\frac{1}{2}$ grains.
Acacia Gum	$12\frac{1}{2}$ grains.
Sodium Hypophosphite	$\frac{1}{2}$ grain.
Calcium Hypophosphite	$\frac{1}{2}$ grain.
Compound Elixir of Gluside	$1\frac{1}{4}$ minims.
Water to produce	1 drachm.

Dose, 1 to 4 drachms.

ENEMA MAGNESII SULPHATIS.

Synonym : Enema Catharticum.

Magnesium Sulphate . . .	1 ounce.
Olive Oil	1 ounce.
Mucilage of Starch	15 ounces.

ENEMA NUTRIENS.

(No. 1.)

One Egg.

Strong Beef Tea	1 ounce.
Milk	1 ounce.
Brandy	4 drachms.
Solution of Pancreatin . . .	1 drachm.

ENEMA NUTRIENS.

(No. 2.)

Milk	1 pint.
Pure Dextrose	1½ ounces.
Solution of Pancreatin . . .	½ ounce.

Boil and cool the Milk, add the Solution of Pancreatin and keep in an incubator at 98° F. for 24 hours, then add the Dextrose.

Give 10 ounces every 8 hours.

ENEMA OPII.

Tincture of Opium	30 minims.
Mucilage of Starch	2 ounces.

ENEMA TEREBINTHINÆ.

Oil of Turpentine	$\frac{1}{2}$ ounce.
Mucilage of Starch	15 ounces.

EXTRACTUM MALTI cum OLEO MORRHUÆ.

Extract of Malt	4 parts.
Cod-liver Oil	1 part.

Dose, 1 to 2 fluid drachms.

GARGARISMA ACIDI CARBOLICI.

Glycerin of Phenol	$\frac{1}{2}$ ounce.
Water to	8 ounces.

GARGARISMA ACIDI TANNICI.

Glycerin of Tannic Acid . .	1 ounce.
Water to	8 ounces.

GARGARISMA ALUMINIS.

Alum	80 grains.
Water to	8 ounces.

GARGARISMA BORACIS et MYRRHÆ.

Glycerin of Borax	6 drachms.
Tincture of Myrrh	80 minims.
Water to	8 ounces.

GARGARISMA CHLORI.

Potassium Chlorate	80 grains.
Hydrochloric Acid	20 minims.
Water to	8 ounces.

Place the Potassium Chlorate, in powder, in a dry bottle, add the Hydrochloric Acid and set aside for 10 minutes, loosely corked, then add the water in four or five successive portions, shaking well between each. Usually used diluted with an equal quantity of water.

GARGARISMA HYDRARGYRI PERCHLORIDI.

Mercuric Chloride	1 grain.
Diluted Hydrochloric Acid .	20 minims.
Distilled Water to	8 ounces.

GARGARISMA HYDROGENI PEROXIDI.

Hydrogen Peroxide	5 volumes.
---------------------------	------------

GARGARISMA POTASSII CHLORATIS.

Potassium Chlorate	80 grains.
Distilled Water to	8 ounces.

GARGARISMA POTASSII PERMANGANATIS.

Potassium Permanganate . .	8 grains.
Distilled Water to	8 ounces.

GLYCERINUM BELLADONNÆ.

Green Extract of Belladonna .	1 ounce.
Water	$\frac{1}{2}$ ounce.
Glycerin to	4 ounces.

GUTTÆ ACIDI BORICI.

Boric Acid	5 grains.
Distilled Water to	1 ounce.

GUTTÆ ATROPINÆ.

Atropine Sulphate	4 grains.
Chlorbutol Water	1 ounce.

GUTTÆ ATROPINÆ et COCAINÆ.

Atropine Sulphate	4 grains.
Cocaine Hydrochloride . . .	8 grains.
Chlorbutol Water	1 ounce.

GUTTÆ HOMATROPINÆ et
COCAINÆ.

Homatropine Hydrobromide .	4 grains.
Cocaine Hydrochloride . . .	8 grains.
Chlorbutol Water	1 ounce.

GUTTÆ PHYSOSTIGMINÆ.

Physostigmine Sulphate . .	2 grains.
Chlorbutol Water	1 ounce.

HAUSTUS MORPHINÆ.

Synonym : Haustus Anodynus.

Solution of Morphine Hydro- chloride	30 minims.
Camphor Water to	1 ounce.

HAUSTUS CHLORAL.

Potassium Bromide	10 grains.
Syrup of Chloral	2 drachms.
Water to	1 ounce.

INJECTIO POTASSII PERMANGANATIS.

Potassium Permanganate	1 grain.
Distilled Water	1 ounce.

INJECTIO PROTARGOL.

Protargol	5 grains.
Distilled Water	1 ounce.

INJECTIO ZINCI CHLORIDI.

Zinc Chloride	$\frac{1}{4}$ grain.
Distilled Water	1 ounce.

INJECTIO ZINCI SULPHATIS.

Zinc Sulphate	2 grains.
Distilled Water	1 ounce.

INJECTIO ZINCI SULPHO- CARBOLATIS.

Zinc Sulphocarbolate	2 grains.
Distilled Water	1 ounce.

INJECTIO COCAINÆ et ADRENINI HYPODERMICA.

Cocaine Hydrochloride	2 grammes.
Adrenine Solution (1 in 1,000)	7 c.c.
Chlorbutol	0·25 grammes
Sterile Water to	100 c.c.

INJECTIO EUCAINÆ et ADRENINI HYPODERMICA.

Eucaine Lactate	2 grammes.
Adrenine Solution (1 in 1,000)	7 c.c.
Chlorbutol	0·25 grammes.
Sterile Water	to 100 c.c.

LINCTUS MORPHINÆ (CLARKE'S).

Solution of Morphine Hydro- chloride	6 minims.
Spirit of Chloroform	6 minims.
Diluted Hydrochloric Acid	1½ minims.
Syrup of Lemon	20 minims.
Glycerin	20 minims.
Water	to 1 drachm.

Dose, 1 drachm.

LINCTUS CHLORODYNI.

Tincture of Opium	2 minims.
Diluted Sulphuric Acid	3 minims.
Chlorodyne	4 minims.
Oxymel of Squill	15 minims.
Syrup	15 minims.
Treacle	to 1 drachm.

Dose, 1 drachm.

LINCTUS SCILLÆ.

Synonyms : Linctus Simplex, Gee's Linctus.

Compound Tincture of Cam-

phor 20 minims.

Oxymel of Squill 20 minims.

Syrup of Tolu 20 minims.

Dose, 1 drachm.

LIQUOR IODI pro LIGATORIS.

Tincture of Iodine 1 part.

Alcohol (45 per cent.) 15 parts.

LOTIO ACIDI BORICI.

Boric Acid 300 grains.

Distilled Water to 20 ounces.

LOTIO ACIDI CARBOLICI.

Carbolic Acid 1 ounce.

Fuchsine solution (1 in 10,000) $\frac{1}{2}$ drachm.

Distilled Water to 20 ounces.

LOTIO ACIDI PICRICI.

Picric Acid 44 grains.

Water to 20 ounces.

LOTIO ALKALINA.

Sodium Carbonate	6 drachms.
Tincture of Opium	1 ounce.
Glycerin	2 ounces.
Water	9 ounces.

LOTIO CALAMINÆ.

Prepared Calamine	30 grains.
Zinc Oxide	20 grains.
Glycerin	$\frac{1}{2}$ drachm.
Water to	1 ounce.

LOTIO CALCIS SULPHURATÆ.

Synonym : Vleminckx's Solution.

Quicklime	1 pound.
Sublimed Sulphur	2 pounds.
Water	2 gallons.

Evaporate to 1 gallon and decant the clear liquid.

LOTIO CRINALIS.

Tincture of Cantharides . .	4 drachms.
Strong solution of Ammonia .	3 drachms.
Almond Oil	1 ounce.
Oil of Rosemary	8 minims.
Alcohol (90 per cent.) . . .	4 drachms.
Rose Water to	8 ounces.

LOTIO EVAPORANS.

Solution of Ammonium Acetate	4 ounces.
Alcohol (90 per cent.) . . .	1 ounce.
Oil of Lavender	5 minims.
Camphor Water to	1 pint.

LOTIO HYDRARGYRI PERCHLORIDI (1 IN 5,000).

Mercuric Chloride	14 grains.
Solution of Methylene Blue (1 in 2,500)	$\frac{1}{2}$ ounce.
Distilled Water to	1 gallon.

LOTIO IODI ANTISEPTICA.

Iodine	2·00
Alcohol (90 per cent) . . .	100·00

LOTIO PLUMBI EVAPORANS.

Strong solution of Lead Subacetate	6 minims.
Alcohol (90 per cent.) . . .	2 drachms.
Distilled Water to	1 ounce.

LOTIO PICIS CARBONIS.

Solution of Coal Tar . . .	·50
Water to	100·0



LOTIO RUBRA.

Zinc Sulphate	2 grains.
Compound Tincture of Laven- der	5 minims.
Water to	1 ounce.

MISTURA ACIDI NITRO-HYDRO- CHLORICI.

Synonym : Mistura Amara Acida.

Tincture of Nux Vomica . .	10 minims.
Spirit of Chloroform . . .	20 minims.
Diluted Nitro-hydrochloric Acid	10 minims.
Compound Infusion of Gentian to	1 ounce.

Dose, 1 ounce.

MISTURA ACONITI.

Tincture of Aconite	2 minims.
Potassium Chlorate	5 grains.
Solution of Ferric Chloride .	20 minims.
Solution of Mercuric Chloride	10 minims.
Solution of Strychnine Hydro- chloride	5 minims.
Glycerin	2 drachms.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA ALBA.

Magnesium Sulphate . . .	60 grains.
Magnesium Carbonate . . .	10 grains.
Peppermint Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA ALKALINA.

Potassium Bicarbonate . . .	20 grains.
Potassium Acetate . . .	20 grains.
Potassium Nitrate . . .	5 grains.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA AMMONII cum ÆTHERE.

Aromatic Spirit of Ammonia .	30 minims.
Spirit of Ether . . .	30 minims.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA ASTRINGENS.

Tincture of Catechu . . .	30 minims.
Liquid Extract of Opium . .	10 minims.
Tincture of Cinnamon . . .	15 minims.
Tincture of Ginger . . .	30 minims.
Chalk Mixture . . . to	1 ounce.

Dose, 1 ounce.

[Faint, illegible handwriting]

40.

60.

MISTURA ASTRINGENS ACIDA.

Diluted Sulphuric Acid	. .	10 minims.
Tincture of Opium		10 minims.
Spirit of Chloroform	. . .	10 minims.
Tincture of Capsicum	. . .	2 minims.
Peppermint Water	. . . to	1 ounce.

Dose, 1 ounce.

MISTURA BISMUTHI COMPOSITA.

Synonym : Mistura Bismuthi et Sodæ.

Sodium Bicarbonate	. . .	10 grains.
Tincture of Nux Vomica	. .	5 minims.
Compound Tincture of Cardamoms		20 minims.
Solution of Bismuth and Ammonium Citrate		1 drachm.
Water	 to	1 ounce.

Dose, 1 ounce.

MISTURA BUCHU.

Synonym : Mistura Potassii Bicarbonatis et Buchu.

Potassium Bicarbonate	. .	20 grains.
Tincture of Hyoscyamus	. .	20 minims.
Infusion of Buchu	. . . to	1 ounce.

Dose, 1 ounce.

MISTURA CARMINATIVA.

Synonym : Mistura Rhei Composita.

Sodium Bicarbonate	10 grains.
Compound Tincture of Rhu- barb	30 minims.
Compound Tincture of Carda- moms	20 minims.
Tincture of Ginger	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA CASCARÆ COMPOSITA.

Liquid Extract of Cascara Sagrada	20 minims.
Liquid Extract of Liquorice .	30 minims.
Tincture of Belladonna . .	5 minims.
Tincture of Nux Vomica . .	5 minims.
Aromatic Spirit of Ammonia	20 minims.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.



MISTURA CHLORI et QUININÆ.

Potassium Chlorate . . .	30 grains.
Hydrochloric Acid . . .	60 minims.
Quinine Sulphate . . .	24 grains.
Water to	12 ounces.

Place the powdered Potassium Chlorate in a dry 16-ounce bottle with the Hydrochloric Acid, cork lightly, and when the gas has been freely generated add the water in several successive portions, shaking well between each addition, finally adding the Quinine Sulphate.

Dose, 1 ounce.

MISTURA CINCHONÆ COMPOSITA.

Compound Tincture of Cin-

chona	15 minims.
Tincture of Nux Vomica . .	5 minims.
Potassium Chlorate . . .	10 grains.
Glycerin	10 minims.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA COPAIBÆ.

Copaiba	15 minims.
Mucilage of Gum Acacia . .	30 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA DIAPHORETICA.

Spirit of Nitrous Ether . . .	30 minims.
Solution of Ammonium	
Acetate	60 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA DIGITALIS cum FERRO.

Tincture of Ferric Chloride .	10 minims.
Tincture of Digitalis . . .	10 minims.
Infusion of Quassia . . . to	1 ounce.

Dose, 1 ounce.

MISTURA DIGITALIS et
STRYCHNINÆ.

Tincture of Digitalis . . .	5 minims.
Solution of Strychnine Hydro-	
chloride	3 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA DIURETICA.

Potassium Acetate	20 grains.
Tincture of Squill	15 minims.
Spirit of Nitrous Ether. . .	20 minims.
Decoction of Broom . . . to	1 ounce.

Dose, 1 ounce.

$$\begin{array}{r} 30 \\ \overline{120} \\ 120 \\ \overline{2} \end{array} 4$$

Punctati grxx
 Tincture of Squill mxx
 Tinct Digitalis mxx
 Spiritus Ullani hnt mxxx
 Sacchari 3j 388 23/

MISTURA FERRI et ARSENII.

Iron and Ammonium Citrate .	5 grains.
Arsenical Solution	3 minims.
Chloroform Water to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI et AMMONII
CITRATIS.

Iron and Ammonium Citrate .	5 grains.
Chloroform Water to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI APERIENS.

Ferrous Sulphate	2 grains.
Magnesium Sulphate . . .	1 drachm.
Diluted Sulphuric Acid . .	10 minims.
Peppermint Water to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI et POTASSII
CHLORATIS.

Tincture of Ferric Chloride .	10 minims.
Glycerin	10 minims.
Potassium Chlorate	10 grains.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI PERCHLORIDI.

Tincture of Ferric Chloride .	15 minims.
Glycerin	20 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI et POTASSII IODIDI.

Iron and Ammonium Citrate .	5 grains.
Potassium Iodide	5 grains.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI et QUININÆ CITRATIS.

Iron and Quinine Citrate . .	5 grains.
Chloroform Water . . . to	1 ounce.

Dose, 1 ounce.

MISTURA FERRI et STRYCH- NINÆ.

Solution of Strychnine Hydro- chloride	2 minims.
Hydrochloric Acid	2 minims.
Quinine Sulphate	2 grains.
Tincture of Ferric Chloride .	15 minims.
Spirit of Chloroform . . .	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA FORMAMINÆ.

Synonym : Mistura Urotropini.

Formamine	10 grains.
Tincture of Orange	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA GENTIANÆ cum SODA.

Ammonium Carbonate	5 grains.
Sodium Bicarbonate	10 grains.
Compound Tincture of Car-	
damoms	15 minims.
Compound Infusion of Gentian	
to	1 ounce.

Dose, 1 ounce.

MISTURA GUAIACOLIS.

Guaiacol	5 minims.
Alcohol (90 per cent.)	40 minims.
Syrup of Lemon	40 minims.
Spirit of Chloroform	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA HYDRARGYRI BINIODIDI.

Mercuric Chloride		$\frac{1}{16}$ grain.
Potassium Iodide		5 grains.
Water	 to	1 ounce.

Dose, 1 ounce.

MISTURA HYDRARGYRI PERCHLORIDI.

Mercuric Chloride		$\frac{1}{16}$ grain.
Distilled Water	 to	1 ounce.

Dose, 1 ounce.

MISTURA OLEORUM TRIUM.

Oil of Sandal Wood		15 minims.
Oil of Cubebs		15 minims.
Oil of Copaiba		15 minims.
Almond Oil		15 minims.
Acacia Gum		15 grains.
Chloroform Water	. . . to	1 ounce.

Dose, 1 ounce.

7/18

48

10 m

60 m

64

80

20 m

120 h

23

MISTURA PECTORALIS.

Synonym : Mistura Expectorans.

Ammonium Carbonate	2 grains.	16
Ipecacuanha Wine	5 minims.	2
Compound Tincture of Cam-		
phor	30 minims.	2
Oxymel of Squill	30 minims.	
Syrup of Tolu	30 minims.	2
Water to	1 ounce.	

Dose, 1 ounce.

MISTURA PLUMBI cum OPIO.

Lead Acetate	2½ grains.	
Diluted Acetic Acid	10 minims.	
Sedative Solution of Opium .	3 minims.	
Clove Water to	1 ounce.	

Dose, 1 ounce.

MISTURA POTASSII BROMIDI.

Potassium Bromide	10 grains.	
Water to	1 ounce.	

Dose, 1 ounce.

MISTURA POTASSII IODIDI.

Potassium Iodide	5 grains.
Aromatic Spirit of Ammonia .	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA POTASSII IODIDI cum
COLCHICO.

Potassium Iodide	5 grains.
Tincture of Colchicum Seeds	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA QUININÆ.

Quinine Sulphate	2 grains.
Diluted Sulphuric Acid . .	2 minims.
Compound Tincture of Car-	
damoms	30 minims.
Spirit of Chloroform . . .	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA QUININÆ AMMONIATÆ.

Ammoniated Tincture of Quinine	1 drachm.
Solution of Ammonium Acetate	2 drachms.
Spirit of Nitrous Ether . . .	$\frac{1}{2}$ drachm.
Spirit of Chloroform . . .	5 minims.
Water to	1 ounce.

Dose, 1 ounce.



MISTURA QUININÆ EFFERVESCENS.

Quinine Sulphate	2 grains.
Citric Acid	18 grains.
Water to	1 ounce.
Sodium Bicarbonate	20 grains.
Water to	1 ounce.

*Mix 1 ounce of each and drink during
effervescence.*

MISTURA QUININÆ et STRYCHNINÆ.

Quinine Sulphate	2 grains.
Diluted Sulphuric Acid . .	2 minims.
Solution of Strychnine Hydro- chloride	3 minims.
Compound Tincture of Car- damoms	30 minims.
Spirit of Chloroform . . .	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA SANTALI.

Oil of Sandal Wood	20 minims.
Acacia Gum	10 grains.
Chloroform Water. . . . to	1 ounce.

Dose, 1 ounce.

MISTURA SENEGÆ COMPOSITA (STOKE'S).

Ammonium Carbonate	4 grains.
Ether	10 minims.
Compound Tincture of Cam-	
phor	20 minims.
Tincture of Squill	10 minims.
Syrup	30 minims.
Infusion of Senega to	1 ounce.

Dose, 1 ounce.

MISTURA SIMARUBÆ (Rhein's Specific for Dysentery).

Simaruba Bark	3 ounces.
Chinese Cinnamon	1 ounce.

Boil in 3 quarts of water and allow to evaporate to 1 pint. When cool, strain, add 1½ ounces of Brandy and make up to 24 ounces with washings of Marc.

Dose, a wineglassful three times a day.

MISTURA SODII SALICYLATIS.

Sodium Salicylate	15 grains.
Spirit of Chloroform	10 minims.
Water to	1 ounce.

Dose, 1 ounce.

MISTURA SODII SALICYLATIS ALKALINA.

Sodium Salicylate	10 grains.
Potassium Bicarbonate . . .	10 grains.
Sodium Bicarbonate	15 grains.
Peppermint Water to	1 ounce.

Dose, 1 ounce.

DEVITALISING PASTE.

Creosote	20 minims.
Morphine Sulphate	1 drachm.
Arsenious Acid	2 drachms.
Wool Fat	2 drachms.

MUMMIFYING PASTE.

Burnt Alum	2 drachms.
Thymol	2 drachms.
Glycerin	2 drachms.

NEBULA ALKALINA COMPOSITA.

Sodium Bicarbonate	1·50
Borax	1·50
Carbolic Acid	·75
Glycerin	25·00
Water to	100·00

For use as a Nasal or Throat spray.

PILULA APERIENS.

Colocynth and Hyoscyamus

Pill, B.P.		5 grains.
------------	-----------	-----------

PILULA CAMPHORÆ COMPOSITA.

Camphor		2 grains.
---------	-----------	-----------

Opium		$\frac{1}{2}$ grain.
-------	-----------	----------------------

Extract of Hyoscyamus	. .	$2\frac{1}{2}$ grains.
-----------------------	-----	------------------------

Dose, 1 pill.

PILULA DIGITALIS COMPOSITA.

Mercury Pill		2 grains.
--------------	-----------	-----------

Powdered Digitalis Leaves	.	$\frac{1}{2}$ grain.
---------------------------	---	----------------------

Powdered Squill		1 grain.
-----------------	-----------	----------

Dose, 1 pill.

PILULA HYDRARGYRI cum RHEO.

Mercury Pill		$2\frac{1}{2}$ grains.
--------------	-----------	------------------------

Compound Rhubarb Pill	. .	$2\frac{1}{2}$ grains.
-----------------------	-----	------------------------

Dose, 1 pill.

POTUS IMPERIALIS.

Acid Potassium Tartrate	. .	60 grains.
-------------------------	-----	------------

Fresh Lemon		$\frac{1}{2}$ No.
-------------	-----------	-------------------

Syrup		$1\frac{1}{2}$ ounces.
-------	-----------	------------------------

Boiling Water.		1 pint.
----------------	-----------	---------

Infuse till cold, and strain.

POTUS AURANTII ACIDUS CONCENTRATUS.

Synonym : Concentrated Sulphuric Acid
Orangeade.

Diluted Sulphuric Acid	. .	12·0
Concentrated	Infusion of	
Orange		12·0
Syrup of Orange		40·0
Water		16·0

*One part added to 32 parts of water
forms “Orangeade.”*

PULVIS ANTISEPTICUS.

(Antiseptic Dusting Powder.)

Calamine		3 drachms.
Boric Acid		6 drachms.
Zinc Oleate		3 drachms.
Starch		12 drachms.
Oil of Lavender		15 minims.

PULVIS CALOMELANOS et AMYLI.

Calomel		1 part.
Starch		4 parts.

PULVIS CALOMELANOS et ZINCI OXIDI cum AMYLO.

Calomel.	1 part.
Zinc Oxide.	2 parts.
Starch	2 parts.

PULVIS ZINCI OXIDI et ACIDI BORICI.

Zinc Oxide.	} Of each, equal parts.
Boric Acid	

PULVIS ZINCI OXIDI et AMYLI. (Dusting Powder.)

Zinc Oxide.	} Of each, equal parts.
Starch	

SAPOFORM.

Soft Soap	3 ounces.
Alcohol (90 per cent.) . . .	2 ounces.
Solution of Formaldehyde . to	8 ounces.

One or 2 per cent. solution used as an antiseptic lotion.

SOLUTIO SAPONIS ÆTHEREA.

Soft Soap	50 grammes.
Oil of Lavender	0·1 c.c.
Alcohol (90 per cent.)	15 c.c.
Ether	to 100 grammes.

SPIRITUS SAPONATUS.

Soft Soap	12 ounces.
Oil of Lavender	10 minims.
Alcohol (90 per cent.)	to 1 pint.

SUPPOSITORIA MORPHINÆ.

Morphine Hydrochloride . . .	$\frac{1}{4}$ or $\frac{1}{2}$ grain.
Oil of Theobroma	to 15 grains.

TABLETTÆ ACETANILIDI
COMPOSITÆ.

Acetanilide	2 grains.
Caffeine	$\frac{1}{2}$ grain.
Sodium Bicarbonate	1 grain.

Dose, 1 or 2 tablets.

TABLETTÆ ANTIPYRINÆ.

Antipyrine	5 grains
----------------------	----------

TABLETTÆ CASCARÆ SAGRADÆ.

Extract of Cascara Sagrada . . . 3 grains.

TABLETTÆ CRETÆ et KINO COMPOSITÆ.

(Diarrhœa Tablets.)

Compound Powder of Kino . . . 5 grains.

Powdered Ginger 2 grains.

Prepared Chalk 7 grains.

Sugar 14 grains.

Dose, 2 tablets mixed with 1 ounce of water 3 times a day.

TABLETTÆ MISTURÆ GLYCYRRHIZÆ COMPOSITÆ.

(Cough Mixture Tablets.)

Opium $\frac{1}{20}$ grain.

Tartarated Antimony $\frac{1}{40}$ grain.

Benzoic Acid $\frac{1}{20}$ grain.

Oil of Aniseed $\frac{1}{20}$ minim.

Extract of Liquorice 2 grains.

Sugar 3 grains.

Dose, 1 or 2 tablets.

TABLETTÆ HYDRARGYRI cum CRETA.

Mercury with Chalk . . . 1 and 2 grains.

TABLETTÆ HYDRARGYRI SUB- CHLORIDI.

Calomel . . . $\frac{1}{10}$, $\frac{1}{4}$, $\frac{1}{2}$, 1, 2, 3, and 5 grains.

TABLETTÆ HYDRARGYRI SUB- CHLORIDI et JALAPÆ.

Calomel $1\frac{1}{2}$ grains.

Jalap 6 grains.

Ginger 1 grain.

Dose, 1 or 2 tablets.

TABLETTÆ HYDRARGYRI SUB- CHLORIDI et COLOCYNTHIDIS.

Calomel 2 grains.

Dried Extract of Colocynth . . . 2 grains.

Dried Extract of Hyoscyamus . . . 1 grain.

Dose, 1 tablet.

TABLETTÆ OPII.

Powdered Opium $\frac{1}{4}$ grain.

TABLETTÆ PEPSINÆ COM- POSITÆ.

Pepsin 2 grains.

Bismuth Oxycarbonate 3 grains.

Strychnine Sulphate $\frac{1}{100}$ grain.

Dose, 1 or 2 tablets.

TABLETTÆ PHENACETINI.

Phenacetin 5 grains.

TABLETTÆ PHENACETINI
COMPOSITÆ.

Phenacetin 4 grains.
Caffeine 1 grain.

TABLETTÆ PODOPHYLLINI et
HYOSCYAMI.

Podophyllum Resin $\frac{1}{6}$ grain.
Extract of Hyoseyamus . . $1\frac{1}{4}$ grains.

Dose, 1 to 2 tablets.

TABLETTÆ POTASSII CHLORATIS.

Potassium Chlorate 5 grains.

TABLETTÆ QUININÆ.

Quinine Hydrochloride 2, 3, and 5 grains.

TABLETTÆ SODII BICARBONATIS
COMPOSITÆ.

(Soda-Mint.)

Sodium Bicarbonate 5 grains.
Gluside $\frac{1}{50}$ grain.
Oil of Peppermint $\frac{1}{10}$ minim.

TABLETTÆ SULPHONAL.

Sulphonal 5 grains.

TABLETTÆ TRIONAL.

Trional 5 grains.

TABLETTÆ IPECACUANHÆ cum
OPIO.

(Dover's Powder Tablets.)

Compound Ipecacuanha Powder
4 and 5 grains.

TROCHISCI CODEINÆ et
COCAINÆ.

Codeine $\frac{1}{8}$ grain.
Cocaine Hydrochloride . . . $\frac{1}{20}$ grain.
Liquid Extract of Liquorice
and Tolu Basis . . . to 12 grains.

TROCHISCI PARAFORMI.
(Formalin Throat Lozenges.)

Paraform $\frac{1}{10}$ grain.
Citric Acid $\frac{1}{5}$ grain.
Oil of Lemon $\frac{1}{16}$ minim.
Sugar Basis to 15 grains.

TROCHISCI pro TUSSI.

Cubebs in Powder	$\frac{1}{8}$ grain.
Tincture of Capsicum . . .	$\frac{1}{4}$ minim.
Oil of Peppermint	$\frac{1}{20}$ minim.
Oil of Aniseed	$\frac{1}{15}$ minim.
Liquid Extract of Liquorice .	4 minims.
Tolu Basis to	15 grains.

UNGUENTUM METALLORUM.

Mercuric Nitrate Ointment .	1 part.
Lead Acetate Ointment . .	1 part.
Zinc Ointment	1 part.

UNGUENTUM RUBRUM.

(Ointment of Scarlet Red.)

Scarlet-Red (Biebrich) . . .	5 parts.
Almond Oil	25 parts.
Paraffin Ointment . . . to	100 parts.

UNGUENTUM ZINCI ANTI-SEPTICUM.

Zinc Oxide	15 parts.
Ammoniated Mercury . . .	3 parts.
Benzoated Lard	82 parts.

VAPOR CREOSOTI COMPOSITA.

Creosote	2 drachms.
Liquefied Carbolic Acid . .	2 drachms.
Tincture of Iodine	1 drachm.
Spirit of Ether	1 drachm.
Spirit of Chloroform	2 drachms.

For continuous inhalation with an oronasal respirator.

VAPOR FORMALDEHYDI
COMPOSITA.

Solution of Formaldehyde . .	15 minims.
Chloroform	1 drachm.
Menthol	10 grains.
Oil of Pine	10 minims.
Alcohol (90 per cent.) . . .	1 ounce.

For continuous inhalation with an oronasal respirator.

VAPOR FORMALDEHYDI et
GUAIACOLIS.

Solution of Formaldehyde . .	35 minims.
Guaiacol	87½ minims.
Chloroform	1 drachm.
Menthol	15 grains.
Oil of Pine	15 minims.
Alcohol (90 per cent.) . . .	1 ounce.

For continuous inhalation with an oronasal respirator.

VAPOR GUAIACOLIS COMPOSITA.

Guaiacol	2 drachms.
Chloroform	1 drachm.
Menthol	15 grains.
Terebene	1 drachm.
Oil of Pine	15 minims.
Alcohol (90 per cent.)	1 ounce.

For continuous inhalation with an oronasal respirator.

INDEX.

	Page
Acetanilide Tablets - - - - -	35
Acid Astringent Mixture - - - - -	19
„ Bitter Mixture - - - - -	17
Aconite Mixture - - - - -	17
Alkaline Lotion - - - - -	15
„ Mixture - - - - -	18
„ Sodium Salicyl. Mixture - - - - -	31
„ Spray, Compound - - - - -	31
Alum. Gargle - - - - -	8
Ammonia and Ether Mixture - - - - -	18
Ammon. Carb. and Senega Mixture - - - - -	30
Ammoniated Quinine Mixture - - - - -	28
Anodyne Draught - - - - -	11
Antipyrine Tablets - - - - -	35
Antiseptic Dusting Powder - - - - -	33
„ Iodine Lotion - - - - -	16
„ „ Solution for Ligatures - - - - -	14
„ Zinc Ointment - - - - -	40
Aperient Pills - - - - -	32
Aqua Chlorbutolis - - - - -	3
Arsenic and Iron Mixture - - - - -	23
Astringent Mixture - - - - -	18
„ „ Acid - - - - -	19
Atropine Eye Drops - - - - -	10
„ and Cocaine Eye Drops - - - - -	11
Barley Water - - - - -	4
Bismuth Mixture - - - - -	19
„ and Soda Mixture - - - - -	19

	Page
Boric Acid Eye Drops - - - -	10
„ „ Lotion - - - -	14
„ „ and Zinc Oxide Powder - - -	34
Borax Eye Drops - - - -	4
„ and Myrrh Gargle - - - -	9
Buchu Mixture - - - -	19
Caffein and Phenacetin Tablets - - -	38
Calamine Lotion - - - -	15
Calomel Tablets - - - -	27
„ and Colocynth Tablets - - - -	37
„ and Jalap Tablets - - - -	37
„ and Starch Powder - - - -	33
„ and Zinc Oxide with Starch Powder -	34
Camphor Pill, Compound - - - -	32
Carbolic Acid Gargle - - - -	8
„ „ Mouth Wash - - - -	3
„ „ Lotion - - - -	14
Carminative Mixture - - - -	20
Carthartic Enema - - - -	7
Cascara Mixture - - - -	20
„ Tablets - - - -	36
Chalk and Kino Tablets - - - -	36
Chloral Draught - - - -	11
Chlorbutol Water - - - -	3
Chlorine Gargle - - - -	9
„ and Quinine Mixture - - - -	21
Chlorodyne Linctus - - - -	13
Cinchona Mixture, Compound - - -	21
Clark's Linctus - - - -	13
Coal Tar Lotion - - - -	16
Cocaine and Adrenine Hypodermic Injection -	12
Codeine and Cocaine Lozenges - - -	39
Cod-liver Oil Emulsion - - - -	6
„ „ and Malt - - - -	8

	Page
Colchicum and Pot. Iodid. Mixture - - -	28
Collodium Salicylicum - - -	3
Collutorium Acidi Carbol - - -	3
Collyrium Boracis - - -	4
Colocynth and Calomel Tablets - - -	37
Copaiba Mixture - - -	21
Cough Lozenges - - -	40
„ Mixture Tablets - - -	36
Cremor. Mercurialis - - -	4
Creosote Inhalant, Compound - - -	41
Decoetum Hordei - - -	4
Dentifricium - - -	5
Devitalising Paste - - -	31
Diaphoretic Mixture - - -	22
Diarrhœa Mixture - - -	18
„ „ Acid - - -	19
„ Tablets - - -	36
Digitalis Pills. Compound - - -	32
„ and Iron Mixture - - -	22
„ and Strychnine Mixture - - -	22
Diuretic Mixture - - -	22
Dover's Powder Tablets - - -	39
Dusting Powder - - -	34
„ „ , Antiseptic - - -	33
Dysentery Mixture, Rhein's - - -	30
Elixir Glusidi - - -	5
„ „ Comp. - - -	5
Emulsio Iodoformi - - -	6
„ Ol. Morrhuæ - - -	6
„ Petrolei Co. - - -	6
Enema Cartharticum - - -	7
„ Magnesii Sulph. - - -	7
„ Nutriens - - -	7

	Page
Enema Opii - - - - -	8
„ Terebinthinæ - - - - -	8
Ether and Ammonia Mixture - - - - -	18
Eucaïne and Adrenine Hypodermic Injection -	13
Evaporating Lotion - - - - -	16
„ Lead Lotion - - - - -	16
Expectorant Mixture - - - - -	27
Extract of Malt and Cod-liver Oil - - - - -	8
Eye Drops. Boric Acid - - - - -	10
„ „ Atropine - - - - -	10
„ „ Atropine and Cocaine - - - - -	11
„ „ Homatropine and Cocaine - - - - -	11
„ „ Physostigmine - - - - -	11
Formaline Inhalant, Compound - - - - -	41
„ and Guaiacol Inhalant - - - - -	41
„ Throat Lozenges - - - - -	39
Formamine Mixture - - - - -	25
Gargarisma Acidi Carbolici - - - - -	8
„ Acidi Tannici - - - - -	8
„ Aluminis - - - - -	8
„ Boracis et Myrrhæ - - - - -	9
„ Chlori - - - - -	9
„ Hydrarg. Perchlor. - - - - -	9
„ Hydrogeni Peroxidi - - - - -	9
„ Potass. Chlor. - - - - -	10
„ „ Permang. - - - - -	10
Gee's Linctus - - - - -	14
Gentian and Soda Mixture - - - - -	25
Gluside Elixir - - - - -	5
„ Elixir, Compound - - - - -	5
Glycerine Belladonnæ - - - - -	10
Grey Powder Tablets - - - - -	36
Guaiacol Inhalant Co. - - - - -	42

	Page
Guaiacol Mixture - - - - -	25
Guttæ Acidi Borici - - - - -	10
„ Atropinæ - - - - -	10
„ „ et Cocainæ - - - - -	11
„ Homatropinæ et Cocainæ - - - - -	11
„ Physostigminæ - - - - -	11
Hair Lotion - - - - -	15
Haustus Anodynus - - - - -	11
„ Chloral - - - - -	11
„ Morphinæ - - - - -	11
Homatropine and Cocaine Eye Drops - - - - -	11
Hydrogen Peroxide Gargle - - - - -	9
Imperial Drink - - - - -	32
Inhalant of Creosote Compound - - - - -	41
„ „ Formaline Compound - - - - -	41
„ „ „ and Guaiacol - - - - -	41
„ „ Guaiacol Compound - - - - -	42
Injectio Mercurialis - - - - -	4
„ Potass. Permang. - - - - -	12
„ Protargol - - - - -	12
„ Zinci Chloridi - - - - -	12
„ „ Sulphatis - - - - -	12
„ „ Sulphocarb. - - - - -	12
„ Cocainæ et Adrenini Hypodermica - - - - -	12
„ Eucaine et Adrenini Hypodermica - - - - -	13
Iodine Antiseptic Lotion - - - - -	16
„ Solution for Ligatures - - - - -	14
Iodoform Emulsion - - - - -	6
Ipecacuanha and Opium Tablets - - - - -	39
Iron and Ammon. Cit. Mixture - - - - -	23
„ Aperient Mixture - - - - -	23
„ and Arsenic Mixture - - - - -	23
„ „ Digitalis Mixture - - - - -	22

	Page
Iron Perchloride Mixture - - -	24
„ and Potass. Chlor. Mixture - - -	23
„ „ „ Iodid. Mixture - - -	24
„ „ Quinine Mixture - - -	24
„ „ Strychnine Mixture - - -	24
Jalap and Calomel Tablets - - -	37
Lead and Opium Mixture - - -	27
Linetus Chlorodyni - - -	13
„ Morphinae - - -	13
„ Scillae - - -	14
„ Simplex - - -	14
Liquor Iodi pro Ligatoris - - -	14
Liquorice Mixture Tablets - - -	36
Lotio Acidi Borici - - -	14
„ „ Carbolicæ - - -	14
„ „ Pieriei - - -	14
„ Alkalina - - -	15
„ Calaminae - - -	15
„ Calcis Sulphuratæ - - -	15
„ Crinalis - - -	15
„ Evaporans - - -	16
„ Hydrargyri Perchloridi - - -	16
„ Iodi Antiseptica - - -	16
„ Plumbi Evaporans - - -	16
„ Picis Carbonis - - -	16
„ Rubra - - -	17
Magnesium Sulphate Enema - - -	7
Malt and Oil - - -	8
Mercurial Cream - - -	4
„ Injection - - -	4
Mercuric Chloride Gargle - - -	9
„ „ „ Lotion - - -	16

	Page
Mercuric Chloride Mixture - - -	26
„ Binioidide Mixture - - -	26
Mercurous Chloride Tablets - - -	37
„ „ and Colocynth. Tablets -	37
„ „ „ Jalap Tablets -	37
Mercury with Chalk Tablets - - -	36
„ and Rhubarb Pills - - -	32
Mistura Acidi Nitro-hydrochl. - - -	17
„ Aconiti - - -	17
„ Amara Acida - - -	17
„ Alba - - -	18
„ Alkalina - - -	18
„ Ammon. cum Æthere - - -	18
„ Astringens - - -	18
„ „ Acida - - -	19
„ Bismuthi Co. - - -	19
„ „ et Sodæ - - -	19
„ Buchu - - -	19
„ Carminavita - - -	20
„ Cascaræ Segradæ - - -	20
„ Chlorig et Quinin. - - -	21
„ Cinchonæ Co. - - -	21
„ Copaibæ - - -	21
„ Diaphoretica - - -	22
„ Digitalis cum Ferro - - -	22
„ „ et Strychn. - - -	22
„ Diuretica - - -	22
„ Expectorans - - -	27
„ Ferri et Arsenicalis - - -	23
„ „ „ Amm. Cit. - - -	23
„ „ „ Aperiens - - -	23
„ „ „ Perchloridi - - -	24
„ „ „ et Potass. Chlor. - - -	23
„ „ „ „ Iodid. - - -	24
„ „ „ „ Quin. Cit. - - -	24

	Page
Mistura Ferri et Strychninæ - - - -	24
" Formaminæ - - - -	25
" Gentianæ et Sodæ - - - -	25
" Guaiacolis - - - -	25
" Hydrarg. Biniod. - - - -	26
" " Perchlor. - - - -	26
" Oleorum Trium - - - -	26
" Pectoralis - - - -	27
" Plumbi cum Opio - - - -	27
" Potass. Bicarb. et Buchu - - - -	19
" " Bromidi - - - -	27
" " Iodidi - - - -	28
" " " et Colchico - - - -	28
" Quininæ - - - -	28
" " Amm. - - - -	28
" " Efferves. - - - -	29
" " et Strych. - - - -	29
" Rhei Comp. - - - -	20
" Santali - - - -	29
" Senegæ - - - -	30
" Simarubæ - - - -	30
" Sodii Salicyl. - - - -	30
" " " Alk.- - - -	31
" Urotropini - - - -	25
Morphine Draught - - - -	11
" Linctus - - - -	13
" Suppositories - - - -	35
Mummifying paste - - - -	31
Nebula Alkaline Co. - - - -	31
Nitro-hydrochloric Acid Mixture - - - -	17
Nutrient Enema - - - -	7
Opium Enema - - - -	8
" Tablets - - - -	37

	Page
Opium and Lead Mixture - - -	27
Orangeade, Sulphuric Acid - - -	33
Paste, Devitalising - - - - -	31
„ Mummifying - - - - -	31
Pectoral Mixture - - - - -	27
Pepsin Tablets, Compound - - -	37
Petroleum Emulsion, Compound - - -	6
Phenacetin Tablets - - - - -	38
„ and Caffeine Tablets - - -	38
Phenazone Tablets - - - - -	35
Physostigmine Eye Drops - - -	11
Picric Acid Lotion - - - - -	14
Pilula Aperians - - - - -	32
„ Camphoræ Co. - - - - -	32
„ Digitalis Co. - - - - -	32
„ Hydrarg. cum Rheo - - - - -	32
Podophyllin and Hyosyamus Tabellæ - - -	38
Potass. Bicarb. and Buchu Mixture - - -	19
„ Bromide Mixture - - - - -	27
„ Chlorate Gargle - - - - -	10
„ „ Tablets - - - - -	38
„ Chlor. and Iron Mixture - - -	23
„ Iodide Mixture - - - - -	28
„ „ and Colchicum Mixture - - -	28
„ „ „ Iron Mixture - - - - -	24
„ Permang. Gargle - - - - -	10
„ „ Injection - - - - -	12
Protargol Injection - - - - -	12
Potus Aurantii Acid. Conc. - - - - -	33
„ Imperialis - - - - -	32
Pulvis Calomel. et Amyli - - - - -	33
„ „ „ Zinci Oxidi cum Amylo - - -	34
„ Zinci Oxidi et Acidi Borici - - -	34

	Page
Pulvis Zinci Oxidi et Amyli - - - -	34
„ Antisepticus - - - -	33
Quinine Mixture - - - -	28
„ „ Effervescent - - - -	29
„ Tablets - - - -	38
„ Ammoniated Mixture - - - -	28
„ and Chlorine Mixture - - - -	21
„ „ Iron Mixture - - - -	24
„ „ Strychnine Mixture - - - -	29
Red Lotion - - - -	17
Rhein's Specific for Dysentery - - - -	30
Rhubarb Mixture, Compound - - - -	20
„ and Mercury Pill - - - -	32
Salicylic Collodion - - - -	3
Sandal Wool Oil Mixture - - - -	29
„ „ „ „ , Compound - - - -	26
Sapoform - - - -	34
Scarlet Red Ointment - - - -	40
Senega and Ammonia Mixture - - - -	30
Simaruba Mixture - - - -	30
Simple Linctus - - - -	14
Soap (Spirit) - - - -	35
„ (Ether) - - - -	35
Soda and Bismuth Mixture - - - -	19
„ „ Gentian Mixture - - - -	25
Soda-Mint Tablets - - - -	38
Sodium Salicylate Mixture - - - -	30
„ „ „ „ , Alkaline - - - -	31
Solutio Saponis Ætherea - - - -	35
Spiritus Saponatus - - - -	35
Spray Alkaline, Compound - - - -	31
Starch and Calomel Powder - - - -	33

	Page
Starch Calomel, and Zinc Powder - - -	34
„ and Zinc Oxide Powder - - -	34
Stoke's Senega Mixture - - -	30
Strychnine and Digitalis Mixture - - -	22
„ „ Iron Mixture - - -	24
„ „ Quinine Mixture - - -	29
Sulphonal Tablets - - -	39
Sulphureted Lime Lotion - - -	15
Sulphuric Acid Orangeade - - -	33
Suppositoria Morphinae - - -	35
Tablettæ Acetanilidi - - -	35
„ Antipyrini - - -	35
„ Cascarae Sagradae - - -	36
„ Cretæ cum Kino Co. - - -	36
„ Glycyrrhizæ Co. - - -	36
„ Hydrarg. cum Creta - - -	36
„ „ Subchl. - - -	37
„ „ „ et Jalapæ - - -	37
„ „ „ „ Colocynth. - - -	37
„ Ipecac. cum Opio - - -	39
„ Opii - - -	37
„ Pepsinæ Co. - - -	37
„ Phcnacetini - - -	38
„ „ Co. - - -	38
„ Podoph. et Hyoscy. - - -	38
„ Potass. Chlor. - - -	38
„ Quininæ - - -	38
„ Sodium Bicarbonate Co. - - -	38
„ Sulphonal - - -	39
„ Trional - - -	39
Tannic Acid Gargle - - -	8
Tooth Powder - - -	5
Trochiscus Codeinæ et Cocainæ - - -	39

	Page
Trochiscus Paraformi - - - - -	39
„ Pro Tussi - - - - -	40
Turpentine Enema - - - - -	8
Trional Tablets - - - - -	39
Urotropine Mixture - - - - -	25
Ung. Metallorum - - - - -	40
„ Rubrum - - - - -	40
„ Zinci Antisepticum - - - - -	40
Vleminckx's Solution - - - - -	15
Vapor Creasoti Co. - - - - -	41
„ Formaldehydi Co. - - - - -	41
„ „ et Guaiacolis - - - - -	41
„ Guaiacolis Co. - - - - -	42
White Mixture - - - - -	18
Zinc Chloride Injection - - - - -	12
„ Sulphate „ - - - - -	12
„ Sulpho-Carb. Injection - - - - -	12
„ Oxide and Boric Acid Powder - - - - -	34
„ „ „ Starch Powder - - - - -	34









